

POWDER & BULK SOLIDS

The Source for Dry Processing and Bulk Handling Technology



AM Operation Automates Metal Sieving Process

Page 12

Handbook 44 Changes Pave Way for New Weighing Solutions

Two recent developments in continuous weighing pave the way for new solutions that could dramatically improve the effectiveness and economic viability of a series of applications.

Page 6



Choosing the Right Equipment for Removing Metal Contamination

Metal contamination can start off with small particles, but these small particles can lead to very large problems.

Page 20



5 Ways to Improve Industrial Safety Through Signage

From a review of hundreds of process equipment orders, there seems to be a correlation between management attention to proper machine safety labeling and machine uptime.

Page 40



Portable Reclaim Sifter for Small Batches

AFF's new all stainless steel portable reclaim sifter incorporates many innovations to make it an easy and efficient tool to sift small batches of dry product. It can be operated on top of its rolling base or in a fixed location utilizing the optional wall mount. After extensive field trials, AAF created a smooth-running, highly efficient batch sifter for small to mid-sized applications. The powerful UL-listed 110-VAC waterproof motor plugs in virtually anywhere. User-adjustable eccentrics and a speed controller adapt it to exact requirements.

American Fabric Filter Co., Wesley Chapel, FL
800-367-3591 www.americanfabricfilter.com

Flameless Explosion Venting

Manufacturers in just about every industry use varying flameless venting technologies, depending on particular applications and requirements. The Q-Ball E presents another option with features to safely protect against the potential damage resulting from a combustible dust explosion. With the Q-Ball E, a flame-quenching filter is used to efficiently cool down flames. This prevents flames from escaping and minimizes the effects of the explosion pressure to an insignificant level. The typical increase in pressure and noise that accompanies an explosion within a building is reduced to an almost imperceptible minimum.

REMBE Inc., Charlotte, NC 704-716-7022 www.rembe.us



AM Operation Automates Metal Sieving Process, Reducing Time by 85%

With 30 years experience in product development and engineering solutions in the injection molding and mold making industries, Tom Houle, director of Lumex NA for Matsuura USA, is passionate about manufacturing solutions, operational excellence, and continuous improvement.

This year, one of his focuses was to improve the work environment by automating metal powder recovery at the Matsuura Machinery USA Lumex Additive

Manufacturing Center, a laboratory and demonstration facility inside Matsuura USA's headquarters in St. Paul, MN, where the company showcases its hybrid manufacturing technology, performs tests, and produces billable parts on a one-off basis.

Beyond automating the metal recovery process at the demonstration facility, an equally important goal was the ability for Matsuura to provide its customers with a proven turnkey metal recovery system as auxiliary equipment for its Lumex series of hybrid 3D printers.

The hybrid manufacturing technology combines advanced manufacturing techniques of selective laser metal sintering (SLS) with precision high-speed machining (HSM) to produce a finished part that doesn't require post machining.

This hybrid manufacturing machine supports the engineering and manufacture of highly complex integrated parts and molds in shapes and configurations that were once impossible using traditional milling methods.

During the hybrid manufacturing process, a thin



Vac-U-Max on-board sieve and scale separate and weigh reusable powders into industry-standard pail. Oversize/waste debris is also collected (right).


layer of metal powder is distributed across the entire build platform, and laser fused, or sintered, to create the geometry of the part, leaving most of the powder outside the geometry available for reuse.

During the additive process, some tiny metal powder molecules outside of the build geometry also become fused and, during the subtraction process of milling, miniscule metal chips deposit within the unused metal powder, both needing removal before reuse. This miniscule debris still looks like powder. However, in comparison to the finer powder, it is quite large.

With such an advanced manufacturing process that allows parts makers to reduce cycle times up to 45%, manually sieving the metal powder for reuse seemed counterintuitive to Houle. Manual sieving "is a messy, tedious, and time-consuming job," said Houle. "It was a bit like panning for gold, taking multiple hours to sieve just 10kg of material. Our machines use 160kg of material, so the process was daunting."



Vac-U-Max additive manufacturing metal powder recovery system conveys, screens, recycles, and weighs reusable metal powders.



Vac-U-Max MPRS removes reactive/non-reactive metal powders from build boxes quickly (8Kg/min.)

In his effort to fully automate the sieving process, Houle evaluated six different suppliers of sieving equipment measuring willingness and ability to engineer a solution, ease of design process, breadth of offerings, price, and delivery.

Automated sieving systems utilize vacuum conveying to transfer material to sifting equipment. "Since additive manufacturing is a relatively young industry," Houle said, "few of the suppliers had experience working within sophisticated and regulated industries.

Most had only worked with more traditional powders and processes."

From the six suppliers, Houle said he selected Vac-U-Max because "their experience with conveying all types of media and specific focus on metal recovery, allowed them to quickly understand our needs."

Celebrating 65 years in business, Belleville, NJ-based Vac-U-Max, a pioneer in vacuum pneumatic conveying, specializes in the design and manufacture of pneumatic systems and support equipment for the conveying, weighing, and batching of dry materials. With proven pre-engineered conveying solutions and industry expertise with more than 10,000 powders, the company regularly designs custom solutions for manufacturers.

Metal powders used in AM are fine, heavy, dusty, and sometimes reactive, requiring specialized knowledge of material characteristics. However, Vac-U-Max president Doan Pendleton said, "metal recovery systems are fairly simple systems to us. It was a little more complicated with Matsuura because they wanted to weigh small amounts of the recovered powder into smaller containers for inventory control purposes and ergonomics and that required a little more engineering."

Metal recovery systems use vacuum to extract powder di-

rectly from 3D printers, from dryer trays, or other containers, convey it to a vacuum receiver that discharges powder into a sieve, which then discharges good powder into a pail, drum, or other intermediate bulk container for reuse—all within an inert environment.

The conveyor manufacturer has four levels of plug and play metal recovery systems, all of which have standard inert gas purging capabilities for use when needed. Gas purging minimizes moisture and keeps reactive materials inert by limiting the oxygen concentration surrounding the powders as

Your Premier Provider of Material Weighing Solutions



AUTOMATION, BATCHING & WEIGHING SPECIALISTS


SOLUTIONS:

- Micro/Minor/Bulk Ingredient Systems
- Semi-Auto "Kitchen Systems" →
- Bulk Bag Discharging / Filling Systems
- Liquid & Dry Material Weighing & Dosing
- Automation Including:
 - Receiving/Transfer
 - Grinding
 - Batching
 - Pelletizing
 - Process
 - Mixing



- ANALYZE** → We interview your staff to determine the goals of your project.
- DEVELOP** → With our application experience we develop a customized solution to meet your goals & make your process more efficient.
- PROFIT** → You profit from our 45+ years of experience in feed, food, baking, petfood, rubber/plastics compounding, industrial process, process equipment, automation and data management.

CONTACT US TO DISCOVER GREATER PROFITABILITY



SYSTEMS CAPABILITIES:

- Dry/Liquid Handling
- Bulk Inventory Management
- Material Handling/Usage
- Weighment Control
- Production Records
- Ingredient Lot Tracking
- Barcode/RFID Scanning
- Mixing Control
- MS SQL Server DB
- Business Software Interface
- Remote Supervisory Control

**Material Handling,
Size Reduction Equipment,
and Complete Turnkey Systems
for powder and bulk solids processing**

Contact us today to find out
more about how we can help
improve your process efficiency!



info@bengalmachine.com
800.447.4634 | www.bengalmachine.com



STERLING
SYSTEMS & CONTROLS, INC.
Automation ~ Batching ~ Process ~ Systems

1-815-625-0852
www.sterlingcontrols.com



Powered by compressed air or inert gas, the Vac-U-Max MPRS has the suction power to convey metal powders from storage containers 15 ft away for sieving and weighing before re-use.

described by NFPA 69 and NFPA 484. Additionally, the vacuum conveyor equipment is static bonded and grounded, bolstering system safety by knocking out any static charge that may build up from the vacuum conveying process.

In metal recovery systems, the sieve is the heart of the system. The conveyor manufacturer standardly uses 63-micron screens for metal powder recovery which translates to 230 mesh, having 230 holes per linear inch. With mesh that fine, the use of ultrasonics eliminates the risk of blinding the sieve and yields higher powder processing speeds.

Ultrasonics excite the wires in the screen, helping to distribute the material across the full diameter of the screen and pass the good material through screen. Without ultrasonics, material builds up in the center of the screen, slowing the screening process.

According to Houle, the conveyor manufacturer “adjusted and controlled the ultrasonics and selected the screen size to match

our process, our powders, and the speed at which we were conveying powder. What used to take an hour and a half, and require two operators, now only takes four minutes and one operator.”



User-friendly HMI control panel with program for continuous conveying, sieving, and weighing of reactive and non-reactive metal powders. Also suitable for ceramic and polymer powders.

In addition to engineering conveying system components to match Matsuura's powders, the conveyor manufacturer worked with the hybrid machine manufacturer so it could reuse the original containers used to load media back into the hybrid AM printer.

The containers hold approximately 22 pounds of material, making them manageable for workers to manipulate during the loading process, minimizing ergonomic hazards. Reusing the containers also allowed the hybrid manufacturer to reseal them with desiccant packs, reducing the frequency of drying cycles needed for hygroscopic metal powders that will absorb moisture from ambient air.

Maximizing sieve throughput and screen lifespan requires a metered feed of material into the sieve. Therefore, Vac-U-Max implemented a level control that senses when the vacuum receiver is full. The system then stops the conveying cycle, opens a discharge valve that feeds into a vibratory tube, which then meters the amount of powder discharged onto the screen deck. The reusable powder is collected in a

dedicated pail and the sieved (i.e. waste) powder is directed into a separate vessel. The reusable powder sits on a floor scale that ties into the metal powder recovery system's control panel.

The touchscreen control panel allows operators to manage everything from one place and operate major components separately when necessary, such as turning the sieve on and off, operating the sieve independently from the conveying system, and pulsing the filters for cleaning.

“The Vac-U-Max system is a great auxiliary component to additive manufacturing,” said Houle. “Because we are more efficiently removing impurities from the combined laser and milling process, we are able to reuse a higher percentage of our powder.

“We contracted with Vac-U-Max to provide a turnkey, fully automated sieving system for use with our metal hybrid printer, and it works perfectly. Any time we can provide a turnkey system with all of the necessary auxiliary equipment to our customers, it is of great benefit.”

For more information, call 800-822-8629 or visit www.vac-u-max.com.



Mobility of the Vac-U-Max MPRS supports multi-printer facilities. The self-contained system includes UL-certified controls and grounding interlock system protects users and their facilities.

ProductFocus

Screening, Classifying, & Separation

Vibratory Screeners

Model CSL vibratory screeners are effective for applications requiring material separation. Powering these screeners are two rotating vibratory motors designed to provide a linear and straight-line type conveyance action. The unit propels the product forward with a positive conveyance action designed to offer better stratification than typical sloped gravity or orbital type screeners. BPS offers several screen options to meet any process requirement. Its screen options are wire mesh, finger screen deck, perforated plate, grizzly deck, and wedge wire. BPS will custom engineer a screener for a customer's unique application, including requirements for dust-tight covers, stainless steel construction, or multiple decks.



Best Process Solutions,
Brunswick, OH 330-220-1440
www.bestvibes.com

Bulk Material Handling. Guaranteed Solutions.

Incorporating vacuum, aero-mechanical and flexible screw conveying technologies, VAC-U-MAX systems solve bulk material handling needs, challenges, and requirements for compliance - *since 1954*.

Visit us at vac-u-max.com/pneumatic
or call (800) VAC-U-MAX.



Mobile Vacuum Conveying System with EZ-Lift frame is easily rolled-into-place.



Feeder Refill Systems



Bulk Bag Load & Unload Systems



Bag Dump Stations with LoadLifter™




Direct-Charge Blender Loading



Central Vacuum Cleaning Systems

Fill out RFQ at:
www.vac-u-max.com

Combustible Dusts?
No problem.



PNEUMATIC CONVEYING COMPONENTS & SYSTEMS • BULK BAG LOADING & UNLOADING SYSTEMS
BAG DUMP STATIONS • FLEXIBLE SCREW CONVEYORS • AERO-MECHANICAL CONVEYORS • FEEDER REFILL
MULTI-INGREDIENT HANDLING SYSTEMS • BATCH WEIGHING & SCALING SYSTEMS • UL-CONTROLS
MOBILE VACUUM CONVEYING • DIRECT-CHARGE BLENDER LOADING • INDUSTRIAL VACUUM CLEANERS
69 William Street • Belleville, NJ 07109 • (800) VAC-U-MAX • www.vac-u-max.com • info@vac-u-max.com



Feeder Provides Protective Sieving

This vibratory feeder dosing system features a pneumatic-driven piston vibrator for effective and gentle continuous feeding with high accuracy and low-wear and noise, is also suitable for simple sieving/protective sieving applications. Two vibratory feeders are placed above each other with a screen surface placed in between. A quick-release screener outlet is also an option. The feeder system can handle product even in a dust explosion environment and can operate with 1g of accuracy, depending on the product. All product contact parts are built of stainless steel 316L or 304, and its simple construction allows for quick and easy cleaning. The versatile feeder also allows for loss-in-weight feeding, gain-in-weight feeding. **Volkman Inc.**, Bristol, PA 609-265-0101 www.volkmannusa.com

Check Out Our
Newly Redesigned
Website at

[www.POWDER
BULK SOLIDS
.com](http://www.POWDERBULK SOLIDS.com)